

07-12-01 16:39:31

DOME : Setting of Preset Channel, Protocol & Baud Rate.
Scanf : To Start & Stop preset running.

Color

Color adjustment sliders (4) with color indicators (white, black, yellow, blue)

Default ALL

Preview

Record

Detect

ZOOM (+/-)

FOCUS (+/-)

IRIS (+/-)

BRUSH (+/-)

Navigation pad (8-way)

Dome Scanf (highlighted with red boxes)

Play Option Backup Snap

1	4	8	↑
9	16	24	↓

Saturday 07-12-01 16:39:31

Run 0 day 04:55:54

98% F:\HDD(Free 629M)

Lock

Power button

Channel	Com	Address	No.	Name
1	1	1	24	Pelco-D_Dome
2	1	1	0	No
3	1	1	0	No
4	1	1	0	No
5	1	1	0	No
6	1	1	0	No
7	1	1	0	No
8	1	1	0	No

Cradle control Option

Channel: 1

COM: 1

Address: 1

Protocol NO.: 24

Protocol name: Pelco-D_Dome

OK

- LiLin
- MYYYAAN-4800
- Guard100-9600
- Pelco-D-2400**
- Kre301_9600
- Sony-9600
- Pelco-D_Dome**
- Pelco-P_Dome
- MYYYAAN_Dome

Modify

Kindly note this setting is for Mini PT450 (Preset) Pan Tilt Dome camera, use Pelco-D Dome.

Color

Default ALL

Preview

Record

Detect

ZOOM FOCUS IRIS BRUSH

Dome Scanf

Play Option Backup Snap

1 4 8 9 16 24 Tuesday 07-12-04 19:15:10 Run 0 day 08:17:53 F:\VHDD(Free 616M) 98%

Lock

Power button

07-12-01 16:34:45

Channel
Protocol
BaudRate

Cradle

Up
Left Auto Right
Down

Focus - Focus +
Zoom - Zoom +
Iris - Iris +
Brush - Brush +

Preset

Name	Preset
OFFICE	01
00	02
25	03
33	04

Preset
Name

Goto Add Del Mod

Scanf

Name	Delay(S)
OFFICE	03
00	05
25	05
33	05

Name
Delay(S)

Add Del Mod

OSD

Alarm

Play Option Backup Snap

1 4 8
9 16 24



Saturday
07-12-01
16:34:46

Run 0 day
04:51:09

98%
F:\HDD(Free 616M)

Exit

07-12-01 16:37:47

OSD

Channel

Protocol

BaudRate

Cradle

Preset

Name	Preset
OFFICE	01
00	02
25	03
33	04

Preset

Name

Scant

Name	Delay(S)
OFFICE	03
00	05
25	05
33	05

Name

Delay(S)

Alarm

Saturday
07-12-01
16:37:48

Run 0 day
04:54:11

F:\HDD(Free 606M)